

INDEX, VOLUME 19, 1995

AUTHOR/TITLE INDEX

- Adali, S., Bruch, J. C., Jr., Sadek, I. S. and Sloss, J. M.: Transient vibrations of cross-ply plates subject to uncertain excitations, 56
- Alarcón, E.: *See* Laso, E., 371
- Aldridge, J. N.: *See* Sajjadi, S. G., 139
- Aliabadi, M. H.: *See* Wen, P. H., 450
- Alkhamis, T. M. and Yellen, J.: Refinery units maintenance scheduling using integer programming, 543
- Bailey, C.: *See* Taylor, G. A., 746
- Bailey, R. T., Hsieh, C. K. and Li, H.: Grid generation in two dimensions using the complex variable boundary element method, 322
- Basu, A. J., Narasimha, R. and Prabhu, A.: Modelling plane mixing layers using vortex points and sheets, 66
- Bell, D. J.: *See* Deckmyn, P. H. A. M., 258
- Bosgra, O. H.: *See* Schuurmans, J., 525
- Bottega, W. J.: *See* Kublanov, L. B., 499
- Brouwer, R.: *See* Schuurmans, J., 525
- Bruch, J. C., Jr.: *See* Adali, S., 56
- Bui, R. T., Meghlaoui, A. and Ouellet, R.: Specific optimal control of an aluminum casting furnace, 311
- Caimi, R.: *See* Fang, J., 106
- Chan, R. K. C. and Lai, T. C.: Digital simulation of a rotating shaft with a transverse crack, 411
- Chandra, U.: *See* Upadhy, G. K., 354
- Chang, C.-H., Tung, Y.-K. and Yang, J.-C.: Evaluation of probability point estimate methods, 95
- Chen, C.-C. and Hwang, W.-S.: A three-dimensional fluid flow model for puddle formation in the single-roll rapid solidification process, 704
- Cheung, J. Y. M.: *See* Virk, G. S., 621
- Cioffi, F., Di Eugenio, A. and Gallerano, F.: A new representation of anoxic crises in hypertrophic lagoons, 685
- Civan, F.: Practical implementation of the finite-analytic method, 298
- Clayton, B. R.: *See* Morsi, Y. S. M., 613
- Comley, W. J.: The location of ambivalent facilities: Use of a quadratic zero-one programming algorithm, 26
- Cross, M.: *See* Taylor, G. A., 746
- Cross, M.: *See* Hughes, M., 713
- Cunliffe, N. H.: *See* Irving, A. D., 46
- Das, S.: *See* Upadhy, G. K., 354
- Davies, G. A.: *See* Deckmyn, P. H. A. M., 258
- Dawson, T. W.: On integral representations for the axially symmetric Helmholtz Green's function, 583
- Dawson, T. W.: On the singularity of the axially symmetric Helmholtz Green's function, with application to BEM, 590
- de Klerk, J. H.: *See* van Wyk, D. J., 566
- Deckmyn, P. H. A. M., Davies, G. A. and Bell, D. J.: Properties of percolating clusters on finite lattices applied to model filtration processes, 258
- Dewson, T. and Irving, A. D.: Response function estimation from multi-input systems, 76
- Dewson, T.: *See* Irving, A. D., 46
- Dhir, K. S.: *See* Glover, F., 696
- Di Eugenio, A.: *See* Cioffi, F., 685
- Duffuaa, S. O.: An integrated process optimization model for chemical production at Ibn Zahr, 531
- Elishakoff, I.: *See* Fang, J., 106
- Ellis, N. S.: *See* Shanati, S., 87
- Fang, J., Elishakoff, I. and Caimi, R.: Nonlinear response of a beam under stationary random excitation by improved stochastic linearization method, 106
- Ferguson, W. J.: *See* Turner, I. W., 654
- Ferguson, W. J.: *See* Turner, I. W., 668
- Firooz, F. and Merrifield, J.: A dynamic model of ground water restoration with accelerator constraint, 173
- Gallerano, F.: *See* Cioffi, F., 685
- Gates, J.: The feasibility of correlation specifications for binary variables, 560
- George, K. J. and Stripling, S.: Improving the simulation of drying and wetting in a two-dimensional tidal numerical model, 2
- Giokas, D. I. and Pentzaropoulos, G. C.: Evaluating the relative operational efficiency of large-scale computer networks: an approach via data envelopment analysis, 363
- Glover, F., Kuo, C.-C. and Dhir, K. S.: A discrete optimization model for preserving biological diversity, 696
- Greenspan, D.: Particle simulation of large carbon dioxide bubbles in water, 738
- Gu, R. J.: Reconstruction of contact pressures between flexible objects and rigid planes using friction data, 578
- Guthrie, R. I. L.: *See* Mazumdar, D., 519
- Hansen, P. N.: *See* Hattel, J. H., 210
- Hart, S. M. and Liu, Y.-H.: The application of integer linear programming to the implementation of a graphical user interface: a new rectangular packing problem, 244
- Hattel, J. H. and Hansen, P. N.: A control volume-based finite difference method for solving the equilibrium equations in terms of displacements, 210
- Holland, P. G.: *See* Morsi, Y. S. M., 613
- Hong, G.: *See* Irving, A. D., 46
- Hong, H. P.: An optimal point estimate method for uncertainty studies, 508
- Hornik, K.: *See* Jha, N. K., 343
- Hsieh, C. K.: *See* Bailey, R. T., 322
- Huang, M.-K.: *See* Lei, X.-Y., 194
- Huang, W.-Y. and Uri, N. D.: A note on nitrogen fertilizer application timing, 182
- Hughes, M., Pericleous, K. A. and Cross, M.: The numerical modelling of DC electromagnetic pump and brake flow, 713
- Hung, R. J. and Pan, H. L.: Mathematical model of bubble sloshing dynamics for cryogenic liquid helium in orbital spacecraft dewar container, 483
- Huseyin, K.: *See* Wang, S. S., 473
- Hwang, W.-S.: *See* Chen, C.-C., 704
- Irving, A. D., Cunliffe, N. H., Dewson, T. and Hong, G.: General nonlinear response of a single input system to stochastic excitations, 46
- Irving, A. D.: *See* Dewson, T., 76
- Jaber, M. Y. and Salameh, M. K.: Optimal lot sizing under learning considerations: Shortages allowed and backordered, 307
- Jha, N. K. and Hornik, K.: Integrated computer-aided optimal design and finite element analysis of a plain milling cutter, 343
- Kai, L. L.: *See* Mak, K. L., 724
- Kublanov, L. B. and Bottega, W. J.: On pressing of a buckled film, 499
- Kuo, C.-C.: *See* Glover, F., 696
- Lai, T. C.: *See* Chan, R. K. C., 411
- Lardner, R. W.: Optimal assimilation of current and surface elevation data in a two-dimensional numerical tidal model, 30
- Laso, E., Lera, M. S. G. and Alarcón, E.: A level II reliability approach to tunnel support design, 371
- Ledder, G.: *See* Logan, J. D., 270
- Lee, H. W., Yoon, S. H. and Lee, S. S.: Continuous approximations of the machine repair system, 550
- Lee, S. S.: *See* Lee, H. W., 550

- Lei, X.-Y., Huang, M.-K. and Wang, X.: Analysis of the explicit fundamental solution of a shallow spherical shell involving shear deformation, 194
- Leonard, B. P., MacVean, M. K. and Lock, A. P.: The flux integral method for multidimensional convection and diffusion, 333
- Leonard, B. P.: Order of accuracy of QUICK and related convection-diffusion schemes, 640
- Lera, M. S. G.: See Laso, E., 371
- Li, C. J. and Yan, L.: Mechanical system modelling using recurrent neural networks via quasi-Newton learning methods, 421
- Li, H.: See Bailey, R. T., 322
- Liao, C.-M.: An optimal thermal destratification control system synthesis in aquaculture ponds, 278
- Liu, J., Pope, G. A. and Sepehrnoori, K.: A high-resolution finite-difference scheme for nonuniform grids, 162
- Liu, Y.-H.: See Hart, S. M., 244
- Lock, A. P.: See Leonard, B. P., 333
- Logan, J. D. and Ledder, G.: Travelling waves for a nonequilibrium, two-site, nonlinear sorption model, 270
- Loveday, D. L.: See Virk, G. S., 621
- MacVean, M. K.: See Leonard, B. P., 333
- Mak, K. L. and Lai, K. K.: The determination of optimal partial fill policy for an inventory system with lumpy demand items, 724
- Malmberg, C. J.: A buffer storage resource allocation model for cellular manufacturing systems, 437
- Marchant, T. R.: See Zhu, S., 278
- Marshall, J. M.: See Shanati, S., 87
- Marszalek, W. and Trzaska, Z. W.: Analysis of implicit hyperbolic multivariable systems, 400
- Mazumdar, D. and Guthrie, R. I. L.: On the numerical computation of turbulent fluid flow in CAS steelmaking operations, 519
- Meghlaoui, A.: See Bui, R. T., 311
- Merrifield, J.: See Firoozi, F., 173
- Mohamad, A. A. and Viskanta, R.: Flow and heat transfer in a lid-driven cavity filled with stably stratified fluid, 465
- Morsi, Y. S. M., Holland, P. G. and Clayton, B. R.: Prediction of turbulent swirling flows in axisymmetric annuli, 613
- Mous, S. L. J.: An efficient solution procedure for the ONE-STEP experiment, 130
- Najim, K. and Ruiz, V.: Long-range predictive control of an absorption packed column, 39
- Narasimha, R.: See Basu, A. J., 66
- Ohe, T. and Ohnaka, K.: An estimation method for the number of point masses in an inverse logarithmic potential problem using discrete Fourier transform, 429
- Ohnaka, K.: See Ohe, T., 429
- Onyejekwe, O. O.: See Taigbenu, A. E., 675
- Ouellet, R.: See Bui, R. T., 311
- Pal, J.: See Pan, S., 133
- Pan, H. L.: See Hung, R. J., 483
- Pan, S. and Pal, J.: Reduced order modelling of discrete-time systems, 133
- Paul, A. J.: See Upadhy, G. K., 354
- Pentzaropoulos, G. C.: See Giokas, D. I., 363
- Pericleous, K. A.: See Hughes, M., 713
- Poots, G. and Skelton, P. L. I.: Simulation of wet-snow accretion by axial growth on a transmission line conductor, 514
- Pope, G. A.: See Liu, J., 162
- Prabhu, A.: See Basu, A. J., 66
- Ramos, J. I.: On the growth of underpressurized annular liquid jets, 13
- Randall, T. J.: See Shanati, S., 87
- Reddy, J. M.: Kalman filtering in the control of irrigation canals, 201
- Ren, G.: See Utnes, T., 7
- Rooke, D. P.: See Wen, P. H., 450
- Ruiz, V.: See Najim, K., 39
- Ryrie, S. C.: An optimal control model of tidal power generation, 123
- Sadek, I. S.: See Adali, S., 56
- Sajjadi, S. G. and Aldridge, J. N.: Prediction of turbulent flow over rough asymmetrical bed forms, 139
- Salameh, M. K.: See Jaber, M. Y., 307
- Sarper, H.: Minimizing the sum of absolute deviations about a common due date for the two-machine flow shop problem, 153
- Schuurmans, J., Bosgra, O. H. and Brouwer, R.: Open-channel flow model approximation for controller design, 525
- Segall, R. S.: Mathematical modelling of spatial price equilibrium for multicommodity consumer flows of large markets using variation inequalities, 112
- Segall, R. S.: Some mathematical and computer modelling of neural networks, 386
- Sepehrnoori, K., 162
- Shanati, S., Ellis, N. S., Randall, T. J. and Marshall, J. M.: Coupled diffusion and stress by the finite element method, 87
- Skelton, P. L. I.: See Poots, G., 514
- Sloss, J. M.: See Adali, S., 56
- Spoelstra, J.: See van Wyk, D. J., 566
- Stripling, S.: See George, K. J., 2
- Taigbenu, A. E. and Onyejekwe, O. O.: Green element simulations of the transient nonlinear unsaturated flow equation, 675
- Taylor, G. A., Bailey, C. and Cross, M.: Solution of the elastic/visco-plastic constitutive equations: A finite volume approach, 746
- Truelove, J. S.: See Varnas, S. R., 456
- Trzaska, Z. W.: See Marszalek, W., 400
- Tung, Y.-K.: See Chang, C.-H., 95
- Turner, I. W. and Ferguson, W. J.: An unstructured mesh cell-centered control volume method for simulating heat and mass transfer in porous media: Application to softwood drying, Part I: The isotropic model, 654
- Turner, I. W. and Ferguson, W. J.: An unstructured mesh cell-centered control volume method for simulating heat and mass transfer in porous media: Application to softwood drying, Part II: The anisotropic model, 668
- Upadhy, G. K., Das, S., Chandra, U. and Paul, A. J.: Modelling the investment casting process: a novel approach for view factor calculations and defect prediction, 354
- Uri, N. D.: See Huang, W.-Y., 182
- Utnes, T. and Ren, G.: Numerical prediction of turbulent flow around a three-dimensional surface-mounted obstacle, 7
- van Wyk, D. J., Spoelstra, J. and de Klerk, J. H.: Mathematical modelling of changing vegetation in a meadow due to grazing, 566
- Varnas, S. R. and Truelove, J. S.: Simulating radiative transfer in flash smelting furnaces, 456
- Virk, G. S., Cheung, J. Y. M. and Loveday, D. L.: Practical stochastic multivariable identification for buildings, 621
- Viskanta, R.: See Mohamad, A. A., 465
- Wang, S. S. and Huseyin, K.: On the bifurcations of nonautonomous systems with compound critical points, 473
- Wang, X.: See Lei, X.-Y., 194
- Wen, P. H., Aliabadi, M. H. and Rooke, D. P.: A contour integral for the evaluation of stress intensity factors, 450
- Yan, L.: See Li, C. J., 421
- Yang, J.-C.: See Chang, C.-H., 95
- Yang, Z.: Perturbation analysis of extrusion of porous metal materials, 601
- Yellen, J.: See Alkhamis, T. M., 543
- Yoon, S. H.: See Lee, H. W., 550
- Yu, W.: Mathematical modelling for a class of flexible robot, 537
- Zhang, Y.: See Zhu, S., 278
- Zhu, S., Zhang, Y. and Marchant, T. R.: A DRBEM model for microwave heating problems, 287

KEYWORD INDEX

- Absorption column, 39
- Adaptive control, 39
- Advection, 333
- Annular liquid jets, 13
- Annuli, 613
- Application timing, 182
- Approximation models, 525
- Aquaculture pond, 278
- Aquifer, 173
- Automated guided vehicle systems, 437
- Backwater effects, 525
- Bed forms, 139
- Bifurcations, 473
- Binary variables, 560

- Biological diversity, 696
 Boundary element method, 450, 675
 Boundary element methods, 583, 590
 Boundary elements, 322
 Boundary observation, 429
 Branch-and-bound, 244
 Bubbles, 738
 Buckling, 499
 Buffer storage, 437
 Building automation systems (BAS), 621
 Buildings, 621
 Buoyancy affected, 465
- Capillary effect, 483
 CAS, 519
 Casting furnace, 311
 Casting, 746
 Cellular manufacturing, 437
 CFD simulation, 713
 Changing vegetation, 566
 Chemical processes, 531
 Chemical reactors, 13
 Clusters, 258
 Common due-date, 153
 Computer graphics, 244
 Computer model, 95
 Computer networks, 363
 Conservative, 333
 Constant-level control, 201
 Contact pressure, 578
 Contour integrals, 450
 Control volume based FDM, 210
 Control volume, 333, 654, 668
 Control, 525
 Convection, 333, 640
 Conventional and new stochastic linearization, 106
 Convex analysis, 56
 Conveyor systems, 437
 Cotton, 182
 Coupled, 87
 Cracked rotor, 411
 Criterion function, 429
 Cross-ply plates, 56
 Cryogenic helium, 483
 CVBEM, 322
- Damage, 499
 Data analysis, 696
 Data envelopment analysis, 363
 DC magnetic pump, 713
 Debond, 499
 Decay, 613
 Delamination, 499
 Demand delivery, 201
 Differential equations, 566
 Diffusion approximation, 550
 Diffusion, 87, 640
 Disbond, 499
 Discrete Fourier transform, 429
 Discrete modelling, 133
 Dissolved oxygen, 685
 Drag, 139
 Drying, 2, 654, 668
 DSM closure, 139
 Dual reciprocity boundary element method, 287
- Dynamic programming, 123, 696
 Dynamic response, 311
- Elasticity, 537
 Elementary return boundary, 550
 Energy maximization, 123
 Equal probability, 95
 Equilibrium equations, 210
 Eutrophication, 685
 Extrusion, 601
- Film, 499
 Filtration process, 258
 Finite differences, 400
 Finite element analysis, 343
 Finite elements, 7, 130
 Finite volume, 746
 Finite-analytic method, 298
 Finite-difference, 640
 Finite-volume, 640
 Flash smelting furnace, 456
 Flexible robot, 537
 Fluid drops, 738
 Fluid dynamics, 7
 Fluid flow analysis, 704
 Flux integral, 333
 Fracture mechanics, 450
 Friction effect, 601
 Friction, 578
 Fundamental solutions, 194
- Gas-solid heat transfer, 456
 Green's function, 583, 590
 Green element method, 675
 Grid generation, 13
 Growth behavior, 566
 Gurson's plasticity, 601
- Hamilton's variational principle, 537
 Harmonic balancing, 473
 High-resolution finite-difference methods, 162
 Higher order, 333
 Higher-order finite-difference methods, 162
 Hot spots, 287
 HVAC systems, 621
 Hydrodynamics, 519
 Hydrogeology, 270
- I-DEAS, 343
 Implicit systems, 400
 Identification, 39
 Instantaneous return boundary, 550
 Integer (0-1) programming, 26
 0-1 Integer programming, 543
 Integer linear programming, 244
 Integer programming, 696
 Integral equations, 583, 590
 Integrated design and analysis, 343
 Inventory control, 724
 Inventory, 307
 Inverse logarithmic potential problem, 429
 Investment casting, 354
 Irrigation canal, 201
- Kalman filter, 201
- Lattices, 258
 Learning algorithm, 421
 Learning rules, 386
 Learning, 307
 Least-squares, 578
 Lid-driven cavity flow, 465
 Limit state design, 371
 Line by line solvers, 210
 Linear quadratic regulator, 278
 Location, 26
 Lorentz force, 713
 Lumpy demand, 724
- Machine repair system, 550
 Mass absorption, 13
 Material flow, 437
 Materials handling, 437
 Mathematical model, 566
 Mathematical modelling, 201, 537, 696
 Mean square response, 106
 MHD flow, 713
 Microgravity liquid-vapor interface, 483
 Microwave heating problem, 287
 Minimization, 578
 Mixed convection heat transfer, 465
 Mixed integer modelling, 153
 Mixing layer, 66
 Model matching, 133
 Model, 2
 Moderately thick shell, 194
 Molecular dynamics, 738
 Monte-Carlo simulation, 106
 Multicommodity consumer flows, 112
 Multi-input linear systems, 76
 Multidimensional, 333
 Multivariable identification, 621
- Network modelling, 244
 Neumann and Cauchy boundary conditions, 298
 Neural network, 386
 Nitrogen fertilizer, 182
 Nonautonomous systems, 473
 Nonconstant material data, 210
 Nonlinear beam, 106
 Nonlinear programming, 26
 Nonlinear system modelling, 421
 Nonlinear time series, 46
 Nonprobabilistic modelling, 56
 Nonuniform grids, 162
 Number of point masses, 429
 Numerical, 2
 Numerical grid generation, 322
 Numerical modelling, 7, 298, 519
 Numerical tidal model, 30
- Open-channels, 525
 Operational efficiency, 363
 Operational research, 531
 Optimal control, 201, 123
 Optimal design, 343
 Optimal partial fill policy, 724
 Optimal PI controller, 278
 Optimal pumpage path, 173
 Optimization in refining industry, 543
 Optimization, 26, 531

- Pairwise correlations, 560
Parameter estimation, 30
Particle-laden gas jet, 456
Percolation theory, 258
Perturbation method, 270, 601
Perturbations, 473
Point estimate method, 371
Point estimates, 95
Point mass model, 429
Point vortex, 66
Poles, 400
Polymer, 87
Porous media, 654, 668
Porous metal, 601
Power lines, 514
Power series solution, 298
Practical application, 621
Prediction, 39
Press, 499
Probability, 95
Process modelling, 354
Production risk, 182
Production, 307
- Quasi-Newton optimization technique, 421
Quasiperiodic motions, 473
Queueing theory, 363
QUICK, 640
- Radiation models, 456
Reconstruction, 578
Rectangular packing, 244
Recurrent neural networks, 421
Reduced-order modelling, 133
- Refinery units maintenance scheduling, 543
Reliability, 371
Resistance formulation, 210
Response function estimations, 76
Response, 46
Robot with three degrees of freedom, 537
- Safety margins, 371
Secondary bifurcations, 473
Shortages, 307
Simulated annealing, 386
Simulation, 411
Single-roll rapid solidification process, 704
Slosh dynamics, 483
Smoothing, 499
Snap-through, 499
SOLA-VOF, 704
Sorption, 270
Spatial price equilibrium, 112
Specific optimal control, 311
Stability, 473
Stably stratified, 465
Statistical moments, 76
Steelmaking, 519
Stochastic modelling, 621
Stock recovery, 173
Stress, 87
Stuttering Poisson distribution, 724
Swirl, 613
Synapses, 386
- Thermal stratification, 278
Three-dimensional, 7
Tidal power, 123
- Tidal, 2
Time series analysis, 76
Tomographic, 578
Total-variation-diminishing methods, 162
Transient water flow, 130
Travelling waves, 270
Truncation error, 640
Tunnel design, 371
Turbulence modelling, 139
Turbulence, 7
Turbulent flow, 613
Two machine flow shop scheduling, 153
- Ultra harmonics, 411
Uncertain vibrations, 56
Uncertainty analysis, 95
Unsaturated flows, 675
UTOPIA, 333
- Variation data assimilation, 30
Variational inequalities, 112
View factor, 354
Visco-plastic, 746
Vortex dynamics, 66
Vortex modelling, 66
Vortex sheet, 66
- Water quality, 685
Wet-snow accretion, 514
Wetting, 2

[illegible]

